


---

# MAVERICK

SAFE CO.

---

## INVENTORY CATALOG 2026

[WWW.MAVERICKSAFES.COM](http://WWW.MAVERICKSAFES.COM) | 888-863-2082 |  @MAVERICKSAFES



DB060610-CAM



DB060610-RAD




DB060612-CAM



DB060610-RAD

## STANDARD: 12 GAUGE BODY, 12 GAUGE DOOR | RIGHT HAND HINGED

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Inch	Wt. (lbs)	Slot Size	Lock Type	Keys
DB060610-CAM	6 x 6 x 10	5¼ x 5¼ x 8½	5 x 5	281	12	½ x 5⅝	Cam	3 Flat
DB060610-RAD	6 x 6 x 10	5¼ x 5¼ x 8½	5 x 5	281	12	½ x 5⅝	Radial	2 Radial
DB060612-CAM	6 x 6 x 12	5¼ x 5¼ x 10½	5 x 5	347	13	½ x 5⅝	Cam	3 Flat
DB060612-RAD	6 x 6 x 12	5¼ x 5¼ x 10½	5 x 5	347	13	½ x 5⅝	Radial	2 Radial



HD-060612-CAM



HD-060612-K2

## HEAVY DUTY: 10 GAUGE BODY, 1/4" DOOR | TOP HINGED

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Inch	Wt. (lbs)	Slot Size	Lock Type	Keys
HD-060612-CAM	6 x 6 x 12	5⅝ x 5⅝ x 10½	4 x 5½	332	20	½ x 5⅝	Cam	3 Flat
HD-060612-K2	6 x 6 x 12	5⅝ x 5⅝ x 10½	4 x 5½	332	20	½ x 5⅝	K2	2 User, 1 Guard



B-DB080612-K2



B-DB080612-C



B-DB120608-K2



B-DB120608-K2



B-DB120810-K1



B-DB120810-C

## B-RATE: 10 GAUGE BODY, 1/2" DOOR | BOTTOM HINGED

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Inch	Wt. (lbs)	Slot Size	Lock Type	Keys
B-DB080612-K2	8 x 6 x 12	7⅝ x 5⅝ x 11	5¼ x 4⅜	472	25	⅝ x 5¾	K2	2 User, 1 Guard
B-DB080612-C	8 x 6 x 12	7⅝ x 5⅝ x 11	5¼ x 4⅜	472	25	⅝ x 5¾	Dial	N/A
B-DB120608-K2	12 x 6 x 8	11⅝ x 5⅝ x 7	5¼ x 8⅜	458	25	⅝ x 5¾	K2	2 User, 1 Guard
B-DB120608-C	12 x 6 x 8	11⅝ x 5⅝ x 7	5¼ x 8⅜	458	25	⅝ x 5¾	Dial	N/A
B-DB120810-K1	12 x 8 x 10	11⅝ x 7⅝ x 9	7¼ x 8⅜	798	30	⅝ x 7¾	K1	2 User
B-DB120810-K2	12 x 8 x 10	11⅝ x 7⅝ x 9	7¼ x 8⅜	798	30	⅝ x 7¾	K2	2 User, 1 Guard
B-DB120810-C	12 x 8 x 10	11⅝ x 7⅝ x 9	7¼ x 8⅜	798	30	⅝ x 7¾	Dial	N/A




FL1614-ELEC



FL201414



FL271414



FL273121SBS

## FRONT-LOAD HOPPER SAFES

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Feet	Wt. (lb)	Shelves	Locks Needed
FL161414-Spring	16 x 14 x 14	6 x 13¼ x 10¼	5½ x 10¼	0.5	73	0	1
FL161414-Mech	16 x 14 x 14	6 x 13¼ x 10¼	5½ x 10¼	0.5	73	0	1
FL161414K1	16 x 14 x 14	6 x 13¼ x 10¼	5½ x 10¼	0.5	73	0	K1
FL201414	20 x 14 x 14	10 x 13¼ x 10¼	9½ x 10¼	0.9	92	0	1
HD-FL201414	20 x 14 x 14	10 x 13¼ x 10¼	9½ x 10¼	0.9	125	0	1
FL201414K2	20 x 14 x 14	10 x 13¼ x 10¼	9½ x 10¼	0.9	92	0	K2
FL271414	27 x 14 x 14	15½ x 15½ x 10¼	16 x 10¼	1.5	134	1	1
FL271414TB	27 x 14 x 14	T: 9 x 13¼ x 10¼ B: 9½ x 13¼ x 10¼	T: 7½ x 10¼ B: 7½ x 10¼	T: 0.8 B: 0.8	150	0	T: 1 B: 1
FL273121SBS	27¼ x 30¼ x 21	L: 13¼ x 13¼ x 19 R: 26¼ x 17 x 17¼	L: 11½ x 10¼ R: 24½ x 14¼	L: 2.4 R: 4.7	310	2	L: K2 R: 1
FL282020TB	28 x 20 x 20	T: 6½ x 19¼ x 16¼ B: 9¼ x 19¼ x 16¼	T: 8 x 16¼ B: 8 x 16¼	T: 1.2 B: 1.8	222	0	T: 1 B: 1
FL282020MK1	28 x 20 x 20	M: 10¼ x 19¼ x 16¼ In: 6 x 19¼ x 14¼	M: 17¼ x 16¼ In: 5¼ x 14¼	M: 2.1 In: 1.0	195	0	M:1 In: K1

T: TOP DOOR | B: BOTTOM DOOR | M: MAIN DOOR | IN: INNER DOOR | K1: SINGLE KEY BANK DEPOSIT LOCK | K2: DUAL KEY BANK DEPOSIT LOCK



FL3020



FL4020MK2



FL502820MK2

## B-RATE FRONT-LOAD HOPPER SAFES

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Feet	Wt. (lb)	Shelves	Locks Needed
FL302020	30 x 20 x 20	18½ x 19¼ x 16¼	19 x 16¼	3.5	228	1	1
FL302020TB	30 x 20 x 20	T: 8 x 19¼ x 16¼ B: 10½ x 19¼ x 16¼	T: 9 x 16¼ B: 9 x 16¼	T: 1.5 B: 2.1	236	0	T: 1 B: 1
HD-FL302020TB	30 x 20 x 20	T: 7¼ x 19½ x 16½ B: 10½ x 19½ x 16½	T: 9 x 16¼ B: 9 x 16¼	T: 1.4 B: 2.0	275	0	T: 1 B: 1
FL3020MK1	30 x 20 x 20	M: 12¼ x 19¼ x 16¼ In: 6 x 19¼ x 14¼	M: 19 x 16¼ In: 5¼ x 14¼	M: 2.4 In: 1.0	240	1	M: 1 In: K1
FL30207"TB	30 x 20 x 20	T: 5½ x 19¼ x 16¼ B: 12½ x 19¼ x 16¼	T: 6½ x 16¼ B: 11¼ x 16¼	T: 1.7 B: 2.5	247	0	T: 1 B: 1
FL30207"TK2B	30 x 20 x 20	T: 5½ x 19¼ x 16¼ B: 12½ x 19¼ x 16¼	T: 6½ x 16¼ B: 11¼ x 16¼	T: 1.7 B: 2.5	247	0	T: K2 B: 1
HDDWFL30207"TB	30 x 20 x 20	T: 5 x 16¼ x 15½ B: 12½ x 19½ x 16½	T: 6½ x 16¼ B: 10¼ x 16¼	T: 0.7 B: 2.4	340	0	T: 1 B: 1
FL402020M	40 x 20 x 20	M: 18 x 19¼ x 16¼ In: 10½ x 19¼ x 10¼	M: 16½ x 16½ In: 8¼ x 13¼	M: 3.4 In: 1.3	325	2	M: 1 In: 1
FL402020MK2	40 x 20 x 20	M: 21 x 19¼ x 16¼ In: 6 x 19¼ x 14	M: 19¼ x 16½ In: 5¼ x 14½	M: 4.1 In: 1.0	305	2	M: 1 In: K2
FL502020MK2	50 x 20 x 20	M: 29 x 19¼ x 16¼ In: 6 x 19¼ x 14	M: 27½ x 16½ In: 7¼ x 14½	M: 5.6 In: 1.7	375	3	M: 1 In: K2
FL502820MK2	50 x 28 x 20	M: 30¼ x 27¼ x 16¼ In: 6 x 27¼ x 14	M: 28¼ x 23 In: 5¼ x 19½	M: 8.3 In: 1.3	574	3	M: 1 In: K2

T: TOP DOOR | B: BOTTOM DOOR | M: MAIN DOOR | IN: INNER DOOR | K1: SINGLE KEY BANK DEPOSIT LOCK | K2: DUAL KEY BANK DEPOSIT LOCK



UC2020



UC252520



UC3020



UC592625TMK2B

## B-RATE UTILITY CHESTS

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Ft.	Wt. (lb)	Shelves	Locks Needed
UC141414	14 x 14 x 14	13 <sup>3</sup> / <sub>4</sub> x 13 <sup>3</sup> / <sub>4</sub> x 10 <sup>3</sup> / <sub>4</sub>	10 <sup>3</sup> / <sub>8</sub> x 10 <sup>3</sup> / <sub>8</sub>	1.2	80	1	1
HD-UC141414	14 x 14 x 14	13 <sup>1</sup> / <sub>2</sub> x 13 <sup>1</sup> / <sub>2</sub> x 10 <sup>1</sup> / <sub>2</sub>	10 <sup>7</sup> / <sub>8</sub> x 10 <sup>3</sup> / <sub>8</sub>	1.1	92	1	1
UC202020	20 x 20 x 20	19 <sup>5</sup> / <sub>8</sub> x 19 <sup>5</sup> / <sub>8</sub> x 16 <sup>3</sup> / <sub>4</sub>	17 x 16 <sup>1</sup> / <sub>2</sub>	3.8	183	1	1
HD-UC202020	20 x 20 x 20	19 <sup>1</sup> / <sub>2</sub> x 19 <sup>1</sup> / <sub>2</sub> x 16 <sup>1</sup> / <sub>2</sub>	16 x 15 <sup>1</sup> / <sub>2</sub>	3.6	210	1	1
UC252020	25 x 20 x 20	24 <sup>5</sup> / <sub>8</sub> x 19 <sup>5</sup> / <sub>8</sub> x 16 <sup>3</sup> / <sub>4</sub>	22 x 16 <sup>1</sup> / <sub>2</sub>	4.7	220	2	1
UC252520	25 x 25 x 20	24 <sup>5</sup> / <sub>8</sub> x 24 <sup>5</sup> / <sub>8</sub> x 16 <sup>3</sup> / <sub>4</sub>	22 x 21 <sup>1</sup> / <sub>2</sub>	5.9	255	2	1
UC302020	30 x 20 x 20	29 <sup>5</sup> / <sub>8</sub> x 19 <sup>5</sup> / <sub>8</sub> x 16 <sup>3</sup> / <sub>4</sub>	27 x 16 <sup>1</sup> / <sub>2</sub>	5.7	250	2	1
HD-UC302020	30 x 20 x 20	29 <sup>1</sup> / <sub>2</sub> x 19 <sup>1</sup> / <sub>2</sub> x 16 <sup>1</sup> / <sub>2</sub>	26 x 15 <sup>1</sup> / <sub>2</sub>	5.5	281	2	1
UC402020	40 x 20 x 20	39 <sup>5</sup> / <sub>8</sub> x 19 <sup>5</sup> / <sub>8</sub> x 16 <sup>3</sup> / <sub>4</sub>	36 x 15 <sup>1</sup> / <sub>2</sub>	7.6	335	3	1
HD-UC592625TMK2B	59 x 26 x 25	T: 36 <sup>1</sup> / <sub>4</sub> x 25 <sup>3</sup> / <sub>4</sub> x 23 <sup>1</sup> / <sub>2</sub> B: 22 x 25 <sup>3</sup> / <sub>4</sub> x 23 <sup>1</sup> / <sub>2</sub>	T: 35 x 23 B: 19 <sup>1</sup> / <sub>2</sub> x 23	T: 12.7 B: 7.7	732	T: 2 B: 0	T: 1 + K2 B: 1

T: TOP DOOR | B: BOTTOM DOOR | M: MAIN DOOR | IN: INNER DOOR | K1: SINGLE KEY BANK DEPOSIT LOCK | K2: DUAL KEY BANK DEPOSIT LOCK

L: LEFT DOOR | R: RIGHT DOOR | L(SM): LEFT DOOR SMALL



UC6030



UC722527TB



UC724827LR

## UTILITY CHESTS

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Ft.	Wt. (lb)	Shelves	Locks Needed
UC502522	50 x 25 x 22	49 <sup>3</sup> / <sub>4</sub> x 24 <sup>3</sup> / <sub>4</sub> x 18 <sup>1</sup> / <sub>2</sub>	43 <sup>1</sup> / <sub>2</sub> x 22	13.2	425	4	1
UC603020	60 x 30 x 20	59 <sup>3</sup> / <sub>4</sub> x 29 <sup>3</sup> / <sub>4</sub> x 16 <sup>3</sup> / <sub>4</sub>	53 <sup>1</sup> / <sub>2</sub> x 25	17.2	541	5	1
UC663728	66 x 37 x 28	65 <sup>3</sup> / <sub>4</sub> x 36 <sup>3</sup> / <sub>4</sub> x 24 <sup>3</sup> / <sub>4</sub>	56 <sup>1</sup> / <sub>2</sub> x 33	34.6	800	5	1
UC722527	72 x 25 x 27	71 <sup>3</sup> / <sub>4</sub> x 24 <sup>5</sup> / <sub>8</sub> x 21 <sup>3</sup> / <sub>4</sub>	67 <sup>1</sup> / <sub>2</sub> x 20	22.2	675	5	1
UC722527TB	72 x 25 x 27	T: 35 <sup>3</sup> / <sub>4</sub> x 24 <sup>5</sup> / <sub>8</sub> x 21 <sup>3</sup> / <sub>4</sub> R: 35 <sup>3</sup> / <sub>4</sub> x 24 <sup>5</sup> / <sub>8</sub> x 21 <sup>3</sup> / <sub>4</sub>	T: 32 <sup>1</sup> / <sub>2</sub> x 20 <sup>1</sup> / <sub>4</sub> B: 32 <sup>1</sup> / <sub>2</sub> x 20 <sup>1</sup> / <sub>4</sub>	T: 11.1 B: 11.1	800	T: 4 B: 4	T: 1    B: 1
UC724827LR	72 x 48 x 27	L: 71 <sup>3</sup> / <sub>4</sub> x 23 <sup>5</sup> / <sub>8</sub> x 21 <sup>3</sup> / <sub>4</sub> R: 71 <sup>3</sup> / <sub>4</sub> x 23 <sup>5</sup> / <sub>8</sub> x 21 <sup>3</sup> / <sub>4</sub>	L: 67 <sup>1</sup> / <sub>2</sub> x 20 <sup>1</sup> / <sub>4</sub> R: 67 <sup>1</sup> / <sub>2</sub> x 20 <sup>1</sup> / <sub>4</sub>	L: 21.3 R: 21.3	1,210	L: 5 R: 5	L: 1    R: 1
UC7248L(Sm)R	72 x 48 x 27	L: 71 <sup>3</sup> / <sub>4</sub> x 18 <sup>1</sup> / <sub>4</sub> x 21 <sup>3</sup> / <sub>4</sub> R: 71 <sup>3</sup> / <sub>4</sub> x 29 <sup>1</sup> / <sub>4</sub> x 21 <sup>3</sup> / <sub>4</sub>	L: 67 <sup>1</sup> / <sub>2</sub> x 20 <sup>1</sup> / <sub>4</sub> R: 67 <sup>1</sup> / <sub>2</sub> x 20 <sup>1</sup> / <sub>4</sub>	L: 16.5 R: 26.4	1,210	L: 5 R: 5	L: 1    R: 1
HDDW-UC7248 LR	72 x 48 x 27	L: 69 <sup>3</sup> / <sub>4</sub> x 21 <sup>3</sup> / <sub>4</sub> x 19 <sup>7</sup> / <sub>8</sub> R: 69 <sup>3</sup> / <sub>4</sub> x 21 <sup>3</sup> / <sub>4</sub> x 19 <sup>7</sup> / <sub>8</sub>	L: 67 <sup>1</sup> / <sub>2</sub> x 20 <sup>1</sup> / <sub>4</sub> R: 67 <sup>1</sup> / <sub>2</sub> x 20 <sup>1</sup> / <sub>4</sub>	L: 17.4 R: 17.4	2,060	L: 5 R: 5	L: 1    R: 1

## PHARMACY SAFES

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Door H" x W"	Wt. (lb)	Drawers	Locks
UC352222-PHAR	35" x 21 <sup>3</sup> / <sub>4</sub> "w x 22"	34 <sup>3</sup> / <sub>4</sub> x 21 <sup>1</sup> / <sub>2</sub> x 17 <sup>1</sup> / <sub>2</sub>	34 <sup>1</sup> / <sub>2</sub> x 18 <sup>5</sup> / <sub>8</sub>	357	4 drawers	1
UC384222SBS-PHAR	37 <sup>1</sup> / <sub>2</sub> " x 42" w x 22"	37" x 20 <sup>5</sup> / <sub>8</sub> x 17 <sup>1</sup> / <sub>2</sub> "	34" x 17 <sup>3</sup> / <sub>4</sub>	830	6 drawers	2



PD302020TMB



HD-PD282020M



SMM282016TB

## PULL DRAWERS

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Ft.	Wt. (lbs)	Shelves	Locks Needed
PD2820MK2	28 x 20 x 20	M: 16 <sup>7</sup> / <sub>8</sub> x 19 <sup>5</sup> / <sub>8</sub> x 17 In: 10 <sup>5</sup> / <sub>8</sub> x 19 <sup>5</sup> / <sub>8</sub> x 13	M: 15 <sup>1</sup> / <sub>2</sub> x 16 <sup>7</sup> / <sub>16</sub> In: 6 x 14 <sup>5</sup> / <sub>8</sub>	M: 3.3 In: 1.6	240	2	M: 1 In: K2
HD-PD282020M	28 x 20 x 20	M: 16 <sup>5</sup> / <sub>8</sub> x 19 <sup>3</sup> / <sub>8</sub> x 17 In: 10 <sup>3</sup> / <sub>8</sub> x 19 <sup>3</sup> / <sub>8</sub> x 13	M: 15 <sup>1</sup> / <sub>2</sub> x 16 <sup>1</sup> / <sub>2</sub> In: 6 x 14 <sup>5</sup> / <sub>8</sub>	M: 3.2 In: 1.5	295	1	M: 1 In: 1
SMM282016TB	28 x 20 x 16	T: 14 <sup>3</sup> / <sub>8</sub> x 19 <sup>3</sup> / <sub>4</sub> x 13 B: 13 <sup>3</sup> / <sub>4</sub> x 19 <sup>3</sup> / <sub>4</sub> x 13	T: 10 <sup>1</sup> / <sub>8</sub> x 16 <sup>1</sup> / <sub>2</sub> B: 11 x 16 <sup>1</sup> / <sub>2</sub>	T: 2.1 B: 2.0	200	0	T: 1 B: 1
PD302020TMB	30 x 20 x 20	T: 9 <sup>1</sup> / <sub>4</sub> x 19 <sup>3</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>2</sub> M: 8 <sup>3</sup> / <sub>4</sub> x 19 <sup>3</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>2</sub> B: 8 <sup>3</sup> / <sub>4</sub> x 19 <sup>3</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>2</sub>	T: 7 x 16 <sup>1</sup> / <sub>2</sub> M: 7 x 16 <sup>1</sup> / <sub>2</sub> B: 7 x 16 <sup>1</sup> / <sub>2</sub>	T: 1.7 M: 1.6 B: 1.6	262	0	T: 1 M: 1 B: 1



MPP-412820TBB



ML422518TBK2



HD-ML302017

## MID-LOAD HOPPERS

Model	Outside Dimensions H" x W" x D"	Inside Dimensions H" x W" x D"	Clear Door H" x W"	Cu. Inch	Wt. (lbs)	Shelves	Locks Needed
MPP-412820TBB	41 x 28 x 20	T: 19 <sup>5</sup> / <sub>8</sub> x 27 <sup>3</sup> / <sub>4</sub> x 17 B L: 12 x 13 <sup>1</sup> / <sub>2</sub> x 17 B R: 21 x 13 <sup>1</sup> / <sub>2</sub> x 17	T: 17 <sup>1</sup> / <sub>2</sub> x 23 <sup>3</sup> / <sub>8</sub> B L: 10 <sup>5</sup> / <sub>8</sub> x 10 <sup>3</sup> / <sub>4</sub> B R: 17 x 10 <sup>3</sup> / <sub>4</sub>	T: 5.4 B L: 1.6 B R: 2.8	440	T: 2 BR: 3	T: 1 BL: K1
ML422518TBK2	42 x 25 x 18	T: 19 <sup>3</sup> / <sub>8</sub> x 24 <sup>1</sup> / <sub>2</sub> x 15 B: 13 x 24 <sup>1</sup> / <sub>2</sub> x 15	T: 17 x 21 B: 10 <sup>3</sup> / <sub>4</sub> x 21	T: 4.1 B: 2.8	410	T: 1	T: 1 B: K2
HD-ML302017TB	30 x 20 x 17	T: 12 <sup>5</sup> / <sub>8</sub> x 19 <sup>1</sup> / <sub>2</sub> x 13 <sup>3</sup> / <sub>4</sub> B: 5 x 19 <sup>1</sup> / <sub>2</sub> x 13 <sup>3</sup> / <sub>4</sub>	T: 11 <sup>1</sup> / <sub>4</sub> x 16 <sup>1</sup> / <sub>2</sub> B: 6 <sup>5</sup> / <sub>8</sub> x 16 <sup>1</sup> / <sub>2</sub>	T: 4.1 B: 2.8	280	0	T: 1 B: 1
HD-ML462020TB	46 x 20 x 20	T: 23 <sup>3</sup> / <sub>4</sub> x 19 <sup>3</sup> / <sub>8</sub> x 16 <sup>1</sup> / <sub>2</sub> B: 12 <sup>5</sup> / <sub>8</sub> x 19 <sup>3</sup> / <sub>8</sub> x 16 <sup>1</sup> / <sub>2</sub>	T: 21 <sup>1</sup> / <sub>4</sub> x 15 <sup>3</sup> / <sub>4</sub> B: 10 <sup>5</sup> / <sub>8</sub> x 15 <sup>3</sup> / <sub>4</sub>	T: 4.3 B: 2.3	460	T: 2 B: 0	T: 1 B: 1



**STANDARD SHELF CLIPS**



**HD SHELF CLIPS**



**B-RATE WOOD ANCHOR KIT**



**B-RATE ANCHOR KIT**



**K2 (DUAL KEY) LOCK**




**HANDLE-L**



**HANDLE-T**

## B-RATE PARTS & ACCESSORIES

Part ID	Description	Notes
Shelf-14	Shelf for 14" Wide Safe	Fits All 14" Wide Safes
Shelf-20	Shelf for 20" Wide Safe	Fits All 20" Wide Safes
Shelf-Cust	Shelf for Custom Safe	Made to Fit Your Safe
Clips-STD	Shelf Clips	Standard Duty
Clips-HD	Shelf Clips	Heavy Duty
Lock-K2	Dual Key Lock ("K2")	Includes 2 User & 1 Guard Key
Key-K2-U	Replacement User Key for K2 Lock	For Store
Key-K2-G	Replacement Guard Key for K2 Lock	For Guards
Anchors-C	Installation Kit	For Cement
Anchors-W	Installation Kit	For Wood
Handle-L	L Handle	Includes Screw, Hole Cover, Ring, Spring Pin
Handle-T	T Handle	Includes Screw, Hole Cover, Ring, Spring Pin



## B-RATE SAFE BASES

	4" Base	8" Base	12" Base	4" Base	8" Base	12" Base	24" Base
Part #	BS041414	BS081414	BS121414	BS042020	BS082020	BS122020	BS242020
Size	4x14x14	8x14x14	12x14x14	4x20x20	8x20x20	12x20x20	24x20x20
Color	Black	Black	Black	Black	Black	Black	Black
Weight	16	24	32	24	36	50	90



TL30-161919



TL30-252122



TL30-322526



TL30-523130

UNDERWRITING LABORATORIES CERTIFIED & LABELED TL30 SAFES

Model	Outside Dimension H" x W" x D"	Inside Dimension H" x W" x D"	Clear Door H" x W"	Cu. Ft.	Wt. (lbs)	Shelves	Locks Needed
TL30-161919	16 x 19 x 19	10½ x 12½ x 10¼	10½ x 12½	0.8	480	1	1 Main
TL30-252122	25 x 21 x 21½	19 x 15 x 12¾	19 x 15	2.1	785	1	1 Main
TL30-292828	29 x 28 x 28	25 x 22 x 19¼	25 x 22	5.6	1,367	2	1 Main 1 Optional
TL30-322526	32 x 25 x 25½	26 x 19 x 16¾	26 x 19	4.8	1,120	2	1 Main
TL30-423130	42 x 31 x 29½	36 x 25 x 20¾	36 x 25	10.8	1,775	3	1 Main 1 Optional
TL30-523130	52 x 31 x 29½	46 x 25 x 20¾	46 x 25	13.8	2,375	4	1 Main 1 Optional
TL30-623130	62 x 31 x 29½	56 x 25 x 20¾	56 x 25	16.8	2,700	5	1 Main 1 Optional
TL30-723530	72 x 35 x 29½	66 x 29 x 20¾	66 x 29	19.8	3,000	5	1 Main 1 Optional
TL30-724331-LW	72 x 43 x 30½	66 x 37 x 21¾	66 x 37	30.7	2,650	5	1 Main 1 Optional
TL30-754631-LW	75 x 46 x 30½	69 x 40 x 21¾	69x 40	33.2	2,730	5	1 Main 1 Optional

DOUBLE DOOR TL30 SAFES

PSF482526TB	48 x 25 x 26	T: 24 x 19 x 17 B: 14 x 19 x 17	T: 24 x 19 B: 14 x 19	T: 4.5 B: 2.6	1,785	T: 2 B: 0	1 Top 1 Bottom
PSF724827LR	72 x 48 x 27	L: 66 x 19½ x 18¼ R: 66 x 19½ x 18¼	L: 66 x 19½ R: 66 x 19½	L: 14.5 R: 14.5	3,780	L: 5 R: 5	1 Left 1 Right



TL30X6-302626



TL30X6-442830



TL30X6-543230



TL30X6-643430

UNDERWRITING LABORATORIES CERTIFIED & LABELED TL30X6 SAFES

Model	Outside Dimension H" x W" x D"	Inside Dimension H" x W" x D"	Clear Door H" x W"	Cu. Ft.	Wt. (lbs)	Shelves	Locks Needed
TL30x6-302626	30 x 26 x 26	24 x 20 x 17¼	24 x 20	4.8	1,815	2	1 Main 1 Optional
TL30x6-442830	44 x 28 x 30	38 x 22 x 21¼	38 x 22	10.3	2,706	3	1 Main 1 Optional
TL30x6-543230	54 x 32 x 30	48 x 26 x 21¼	48 x 26	15.3	3,615	4	1 Main 1 Optional
TL30x6-643430	64 x 34 x 30	58 x 28 x 21¼	58 x 28	20.0	4,268	5	1 Main 1 Optional
TL30x6-724230	72 x 42 x 30	66 x 36 x 21¼	66 x 36	29.2	5,434	5	1 Main 1 Optional
TL30x6-764630	76 x 46 x 30	70 x 40 x 21¼	70 x 40	34.4	5,890	5	1 Main 1 Optional

### TL EXTRA SHELVES

Shelves	Description
16" Tall TL30 Shelf	Specific to This Size Safe
25" & 32" Tall TL Safe Shelf	Specific to These Sized Safes
42" to 62" Tall TL Safe Shelf	Specific to These Sized Safes
72" to 75" Tall TL Safe Shelf	Specific to These Sized Safes

### TL LOCK & ALARM OPTIONS

Options	Description
Secondary Lock on Door (6730 or L01)	Certain Sizes Only, Include Lock
La Gard Group 1 Upgrade (1985)	Higher Security Upgrade
S&G Group 1R Upgrade (8560 - 100)	X-Ray Resistant Upgrade
S&G Spyproof Dial Upgrade (6730-112)	Numbers Facing Up
Vibration Sensor	Installed
Vibration Sensor	Not Installed
Door Contact	1 Set, Installed
Door Contact	1 Set, Not Installed
Heat Sensor	Installed
Heat Sensor	Not Installed

### TL PARTS & COMPONENTS

Parts & Components	Description
Clips-HD	Heavy Duty Shelf Clips
Handle-TL-SPK	Spoke Handle Spoke (EA)
Handle-TL-HUB	Spoke Handle Hub
Small Handle Kit	32" and Smaller TL's
Large Handle Kit	42" and Larger TL's
TL Pull Handle	All Sizes
Detent-TL	Auto-Detent Kit
Anchor-TL	Installation Kit

## 700 SERIES | MODEL 701-705 SPECS

	Model 701 2-User lock	Model 702/702D Multi-user lock standard keypad	Model 703/703B Multi-user, 2-lock system, display	Model 704/704B Multi-user, 5-lock system, display	Model 705 Multi-user, 5-lock system, display
OLED Display Keypad	No	No/Yes (702D)	Yes	Yes	Yes
# of Users	1 Master/1 Manager/ 1 User	1 Master/ 1 Manager/ 28 Users	1 Master/ 1 Manager/ 28 Users	1 Master/ 2 Manager/ 47 Users	1 Master/ 2 Manager/ 97 Users
# of Locks	1	1	2	5	5
Dual-User Mode	No	Yes	Yes	Yes	Yes
Dual-User Mode Override	No	Yes	Yes	Yes	Yes
Reset Function	Yes	Yes	Yes	Yes	Yes
Time Delay	No	0 - 99 min	0 - 99 min	0 - 99 min	0 - 99 min
Confirmation Window	No	1 - 60 min	1 - 60 min	1 - 60 min	1 - 60 min
Time Delay Override (TDO)	No	Yes	Yes	Yes	Yes
TDO with BLE key Fob	No	No	No	No	No
Audit Events	No	500	500	2000	6000
Viewable Audit Trail	No	No/Yes (702D)	Yes	Yes	Yes
Time Lock Schedule	No	No	No	Yes	Yes
Dual Credential	No	No	No/Yes (703B)	No/Yes (704B)	Yes
Warranty	2yr from DoM	2yr from DoM	2yr from DoM	2yr from DoM	2yr from DoM

\*\*LOCK OPTIONS INCLUDE: SWINGBOLT, SPRINGBOLT, DEADBOLT, AND REDUNDANT\*\*

## SECURAM LOCK KIT OPTIONS

	SafeLogic Basic	ProLogic L01	ProLogic L02	ProLogic L22
Part#	EC-0601A-II	EC-0601A-L01	EC-0601A-L02	EC-0601A-L22
UL Listed Type 1	✓	✓	✓	✓
Number of Codes	2	2	30	30
Super Codes	1	1	1	1
LCD Menu		✓	✓	✓
Code Recovery		✓	✓	✓
Dual Control			✓	✓
Time Delay			✓	✓
Controls Multiple Locks			4	4
Duress				✓
Audit Trail on Display				✓
Downloadable Audit Trail				
Time Lock				
eKey TD Override				
Live Audit Stream				
Remotely Programmable				

## SECURAM LOCK KIT OPTIONS

ProLogic L62	ProLogic L66	ProLogic E66	ProLogic Weblink
EC-0601A-L62	EC-0601A-L66	EC-0601A-E66	EC-2001A-W90
✓	✓	✓	
30	30	30	99
1	1	1	1
✓	✓	✓	✓
✓	✓	✓	
✓	✓	✓	✓
✓	✓	✓	✓
4	4	2	5
✓	✓	✓	✓
✓	✓	✓	✓
✓	✓	✓	✓
	✓	✓	✓
		✓	
			✓
			✓



## SECURAM LOCK KIT OPTIONS

	SwingBolt	SwingBolt Status	DeadBolt Status	SpringBolt Status
Part#	EC-0601	EC-0601-S	EC-0701	EC-0801
UL Listed Type 1	✓	✓	✓	✓
Bolt Status	No	✓	✓	✓
Lock Body Format	Std Safe Lock	Std Safe Lock	Std Safe Lock	Std Safe Lock
Availability	In Stock	Special Order	Special Order	In Stock

**WORKS WITH ALL SECURAM KEYPADS**

## SECURAM LOCK KIT OPTIONS

	Description
WSK Audit Reader	To download audits from keypads
CB20 Junction Box	For multiple locks & external power
Power Adapter	9v or 12v power adapter
Lock Wire (per ft)	Required for certain configurations
E66 eKey	For dual control/time delay override



### The Maverick Standard: Built to Protect, Engineered to Last

At Maverick Safe Co., we are driven by a single purpose: delivering the "Gold Standard" in physical security. Operating out of manufacturing locations in Georgia, California, Florida, and alongside trusted international fabrication partners, our facilities adhere strictly to rigorous quality control protocols and high-tier industry standards. Every safe we produce is a testament to our core philosophy and unwavering commitment to customer satisfaction.

We know that operational needs move quickly, which is why we have optimized our production for both scale and speed. Whether you are securing a single storefront or executing a 120+ location rollout, we have the monthly capacity to support your timeline. By closely monitoring construction schedules and new store opening real estate reports, we maintain strategic inventory to ensure minimal lead times. And when unexpected growth occurs, our agile manufacturing can scale up to meet surge demands with just 4 to 6 weeks' notice.

What truly defines Maverick Safes is that our commitment does not end when a product leaves the facility. We manage the entire lifecycle of your security upgrade, utilizing a nationwide network of vetted ALOA and SAVTA certified technicians to guarantee expert, local installation. Enterprise clients receive a dedicated account manager for clear communication and priority escalations. Furthermore, our support team is available 24/7/365 via phone and email, ensuring you and your team are never left without assistance.

---

# MAVERICK

---

SAFE CO.

